

U.S. Corporate Headquarters 400 Valley Rd. Warrington, PA 18976 1(800) 523-2575 / (215) 343-6484 1(800)343-3291 fax info@polysciences.com Polysciences Europe GmbH Handelsstrasse 3 D-69214 Eppelheim, Germany +(49) 6221-765767 +(49) 6221-764620 fax info@polysciences.de Polysciences Asia-Pacific, Inc. 2F-1, 207 Dunhua N. Rd. Taipei, Taiwan 10595 (886) 2 8712 0600 (886) 2 8712 2677 fax info@polysciences.tw

TECHNICAL DATA SHEET 342

Page 1 of 1

Hexamethyldisilazane

PROCEDURE

Hexamethyldisilazane (HMDS) provides a rapid, inexpensive method for the preparation of soft insect tissues for Scanning Electron Microscopy (SEM). This procedure is used in place of critical point drying and takes only 5 minutes.^{1,2}

- 1. Use freshly cut insect tissues in 2 mm to 10 mm long by 2 mm thick.
- 2. Immerse tissues in physiological saline.
- 3. Immediately transfer to a solution containing 1% Glutaraldehyde in 0.1 M Cacodylate buffer, pH 7. Allow tissues to sit in this fixative for 5 minutes.
- 4. Wash tissues for 5 minutes in distilled H_20 .
- 5. Dehydrate using a series of ethanol washes:
 - a. 70% Ethanol 5 minutes.
 - b. 85% Ethanol 5 minutes.
 - c. 95% Ethanol 5 minutes.
 - d. 100% Ethanol 5 minutes.
- 6. Immerse tissues in HMDS for 5 to 15 minutes, depending on their sizes. Then, air dry at room temperature. Larger specimens are better dried in a desiccator under low vacuum.3
- 7. Mount tissues on stainless steel SEM stubs.
- 8. Coat immediately with gold in a sputter coater or store desiccated until coated.

SAFETY PRECAUTIONS

Caution: Handle with care. May cause burns to eyes and skin. Avoid contact with eyes and skin. Avoid breathing vapors. Wear goggles, gloves and protective clothing. Use only with adequate ventilation. Wash thoroughly after handling. The long-term toxicity has not been determined. Avoid prolonged or repeated exposure.

FIRST AID: In case of contact, flush eyes or skin with plenty of water for at least 15 minutes. Call a physician immediately.

STORAGE: Store in a dry area at 15-27°C. Keep container tightly closed. Store away from heat, sparks and open flame. Should appear as a clear liquid.

| Cat. #DescriptionSize00692Hexamethyldisilazane (HMDS)250g00216Glutaraldehyde, EM Grade, snap open vial, 8% aqueous30 x 10mL amp03880Cacodylic acid, free acid100g01131Cacodylic acid, sodium salt25g100gIn Germany Call:+(49) 6221-765767 | |
|---|------|
| 00216Glutaraldehyde, EM Grade, snap open vial, 8% aqueous30 x 10mL ampTO ORDER03880Cacodylic acid, free acid100gIn The U.S. Call:1(800) 523-2575 • (215) 343-6401131Cacodylic acid, sodium salt25gIn The U.S. Fax:1(800) 343-3291 • (215) 343-02 | |
| Snap open vial, 8% aqueous 30 x 10mL amp TO ORDER 03880 Cacodylic acid, free acid 100g In The U.S. Call: 1(800) 523-2575 • (215) 343-64 01131 Cacodylic acid, sodium salt 25g In The U.S. Fax: 1(800) 343-3291 • (215) 343-02 | |
| 03880 Cacodylic acid, free acid 100g In The U.S. Call: 1(800) 523-2575 • (215) 343-64 01131 Cacodylic acid, sodium salt 25g In The U.S. Fax: 1(800) 343-3291 • (215) 343-02 | |
| 01131 Cacodylic acid, sodium salt 25g In The U.S. Fax: 1(800) 343-3291 • (215) 343-02 | |
| | 84 |
| 100g In Germany Call: +(49) 6221-765767 | 14 |
| | |
| 500g In Germany Fax: +(49) 6221-764620 | |
| See TDS #124 for a complete list of glutaraldehyde products.In Asia Call:(886) 2 8712 0600In Asia Fax:(886) 2 8712 2677 | |
| REFERENCES: | |
| Nation, J.L., Stain Tech., 58 (6), 347-351 (1983). Nation, J.L., Int. J. Insect Morphol. Embryol., 12 (4), 201-210 (1983). Giammara, B., Proceed. EMSA, 45, 878 (1987). | .com |

Should any of our materials fail to perform to our specifications, we will be pleased to provide replacements or return the purchase price. We solicit your inquiries concerning all needs for life sciences work. The information given in this bulletin is to the best of our knowledge accurate, but no warranty is expressed or implied. It is the user's responsibility to determine the suitability for their own use of the products described herein, and since conditions of use are beyond our control, we disclaim all liability with respect to the use of any material supplied by us. Nothing contained herein shall be construed as a recommendation to use any product or to practice any process in violation of any law or any government regulation.