

Methyl Methacrylate Monomer Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 09/28/2023 Supersedes: 05/06/1999 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Trade name	: Methyl Methacrylate Monomer
Product code	: 00834
Formula	: C5H8O2
1.2. Recommended use and restrictions	
Recommended use	: Use as laboratory reagent, Manufacture of substances
Supplier Polysciences 400 Valley Road Warrington, PA 18976 - United States T +1 215 343 6484 - F +1 215 343 0214 info@polysciences.com - www.polysciences.com	<u>n</u>
1.4. Emergency telephone number	
Emergency number	24-hour emergency phone number ChemTel 1-800-255-3924
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or mi	xture
GHS US classification	
Flammable liquids Category 2	Highly flammable liquid and vapor
Acute toxicity (oral) Category 2 Skin corrosion/irritation Category 2 Skin sensitization, Category 1 Specific target organ toxicity – Single exposure, 3, Respiratory tract irritation	Fatal if swallowed Causes skin irritation May cause an allergic skin reaction
2.2. GHS Label elements, including preca	autionary statements
GHS US labeling	
Hazard pictograms (GHS US)	
Signal word (GHS US)	: Danger
Hazard statements (GHS US)	: Highly flammable liquid and vapor Fatal if swallowed Causes skin irritation May cause an allergic skin reaction May cause respiratory irritation
Precautionary statements (GHS US)	 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

Other hazards which do not result in classification 2.3.

No additional information available

Unknown acute toxicity (GHS US) 2.4.

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ECTION 3: Composition/Informa	tion on ingredients		
1. Substances			
lot applicable			
.2. Mixtures			
Name	Product identifier	%	GHS US classification
Methyl Methacrylate	(CAS-No.) 80-62-6	91 – 100	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Skin Sens. 1, H317 STOT SE 3, H335
Hydroquinone		0 – 5	Acute Tox. 1 (Oral), H300 Acute Tox. 1 (Dermal), H310 Skin Irrit. 2, H315 Eye Irrit. 2B, H320 Skin Sens. 1B, H317

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Call a physician immediately.
4.2. Most important symptoms and effec	ts (acute and delayed)
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
4.3. Immediate medical attention and spe	ecial treatment, if necessary
Treat symptomatically.	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguish	ing media
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Specific hazards arising from the ch	emical
Fire hazard	: Flammable liquid and vapor.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Special protective equipment and pr	ecautions for fire-fighters
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective equ	uipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapors/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containme	nt and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
11/13/2023	EN /English LIS) 2/8

Safety Data Sheet

ccording to Federal	Register / Vol. 77, No. 58 / Monday,	March 26, 2012 / Rules and Regulations
Other information	on	: Dispose of materials or solid residues at an authorized site.
6.4. Refere	nce to other sections	
For further inform	ation refer to section 13.	
SECTION 7:	Handling and storage	
7.1. Precau	itions for safe handling	
Precautions for	safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.

Hygiene measures	: Do not eat, drink or smoke when using this product product. Contaminated work clothing should not be contaminated clothing before reuse.	, ,
7.2. Conditions for safe storage, including	any incompatibilities	

Technical measures	: Ground/bond container and receiving equipment.
Storage conditions	 Store at room temp. Store locked up. Store in a well-ventilated place. Keep cool. Keep container tightly closed.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters	
Methyl Methacrylate Monomer	
No additional information available	
Hydroquinone	
No additional information available	
Methyl Methacrylate (80-62-6)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Methyl methacrylate
ACGIH TWA (ppm)	50 ppm
ACGIH STEL (ppm)	100 ppm
Remark (ACGIH)	TLV® Basis: URT & eye irr; body weight eff; pulm edema. Notations: DSEN; A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2020
USA - OSHA - Occupational Exposure Limits	
Local name	Methyl methacrylate
OSHA PEL (TWA) (mg/m ³)	410 mg/m³
OSHA PEL (TWA) (ppm)	100 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

8.2.	Appropriate engineering controls	
Approp	priate engineering controls	: Ensure good ventilation of the work station.
Enviro	nmental exposure controls	: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. [In case of inadequate ventilation] wear respiratory protection.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Appearance	: Clear, colorless liquid.	
Color	: Mixture contains one or more component(s) which have the following colour(s): Colorless	
Odor	: Mixture contains one or more component(s) which have the following odour:	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: -54	
Freezing point	: No data available	
Boiling point	: 212.5	
Flash point	: 80626	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: Not applicable.	
Vapor pressure	: 40 mm Hg @ 26 C.	
Relative vapor density at 20°C	: >≥1	
Relative density	: No data available	
Molecular mass	: 100.1	
Solubility	: Water: 10 %	
Partition coefficient n-octanol/water (Log Pow)	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosion limits	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport. Flammable liquid and vapor.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological information	on and a second s	
11.1. Information on toxicological effects		
Acute toxicity (oral)	: Fatal if swallowed.	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
Methyl Methacrylate Monomer	7070	
LD50 oral rat	7872 μg/kg mg/kg	
LD50 dermal rabbit LC50 Inhalation - Rat	9400 ml/kg mg/kg	
	3750 ppm ppm	
ATE US (oral)	7.872 mg/kg body weight	
ATE US (dermal)	9400000 mg/kg body weight	
ATE US (vapors)	3750 mg/l/4h	
ATE US (dust, mist)	3750 mg/l/4h	
Hydroquinone		
LD50 oral rat	320 mg/kg mg/kg	
LD50 dermal rat	0	
Methyl Methacrylate (80-62-6)		
LD50 oral rat	7872 mg/kg	
LD50 dermal rat	> 5 g/kg	
LC50 Inhalation - Rat [ppm]	7093 ppm/4h	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitization	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Carenogenieity		
Methyl Methacrylate (80-62-6)		
IARC group	3 - Not classifiable	
Reproductive toxicity	: Not classified	
STOT-single exposure	: May cause respiratory irritation.	
Methyl Methacrylate (80-62-6)		
STOT-single exposure	May cause respiratory irritation.	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
Viscosity, kinematic	: No data available	
Symptoms/effects after skin contact	: May cause an allergic skin reaction.	
Symptoms/effects after eye contact	: Eye irritation.	
	· _,- ······	
SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse	
	effects in the environment.	
12.2. Persistence and degradability		
No additional information available		
12.3. Bioaccumulative potential		
No additional information available		
40.4 Mobility in cell		
12.4. Mobility in soil		
No additional information available		
11/13/2023	EN (English US)	5/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.5. Other adverse effects

No additional information available

3.1. Disposal methods	
Naste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Flammable vapors may accumulate in the container.
ECTION 14: Transport information	
Department of Transportation (DOT) n accordance with DOT	
Transport document description JN-No.(DOT) Proper Shipping Name (DOT) Class (DOT) Packing group (DOT) Hazard labels (DOT)	 : UN1247 Methyl methacrylate monomer, stabilized, 3, II : UN1247 : Methyl methacrylate monomer, stabilized : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120 : II - Medium Danger : 3 - Flammable liquid
DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Special Provisions (49 CFR 172.102)	 202 242 387 - When materials are stabilized by temperature control, the provisions of §173.21(f) of this subchapter apply. When chemical stabilization is employed, the person offering the material for transport shall ensure that the level of stabilization is sufficient to prevent the material as packaged from dangerous polymerization at 50 °C (122 °F). If chemical stabilization becomes ineffective at lower temperatures within the anticipated duration of transport, temperature control is required and is forbidden by aircraft. In making this determination factors to be taken into consideration include, but are not limited to, the capacity and geometry of the packaging and the effect of any insulation present, the temperature of the material when offered for transport, the duration of the journey, and the ambient temperature conditions typically encountered in the journey (considering also the season of year), the effectiveness and other properties of the stabilizer employed, applicable operational controls imposed by regulation (e.g. requirements to protect from sources of heat, including other cargo carried at a temperature above ambient) and any other relevant factors. The provisions of this special provision will be effective until January 2, 2019, unless we terminate them earlier or extend them beyond that date by notice of a final rule in the Federal Register. IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T4 - 2.65 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 5L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
DOT Vessel Stowage Location	: C - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel
DOT Vessel Stowage Other	: 25 - Protected from sources of heat,40 - Stow "clear of living quarters"
Emergency Response Guide (ERG) Number	: 129P
Other information	: No supplementary information available.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transportation of Dangerous Goods

Not applicable

Transport by sea

Transport document description (IMDG)	: UN 1247 METHYL METHACRYLATE MONOMER, STABILIZED, 3, II (8°C c.c.)
UN-No. (IMDG)	: 1247
Proper Shipping Name (IMDG)	: METHYL METHACRYLATE MONOMER, STABILIZED
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: II - substances presenting medium danger
Limited quantities (IMDG)	: 1 L
Air transport	
Transport document description (IATA) UN-No. (IATA)	 UN 1247 Methyl methacrylate monomer, stabilized, 3, II 1247
Proper Shipping Name (IATA)	: Methyl methacrylate monomer, stabilized

: 3 - Flammable Liquids

: II - Medium danger

SECTION 15: Regulatory information

15.1. US Federal regulations

Packing group (IATA)

Class (IATA)

Methyl Methacrylate (80-62-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313 Listed on EPA Hazardous Air Pollutant (HAPS)	
CERCLA RQ	1000 lb

15.2. International regulations

CANADA

	Methyl Methacrylate (80-62-6)	
	Listed on the Canadian DSL (Domestic Substances List)	

EU-Regulations

National regulations

No additional information available

15.3. US State regulations

Component	State or local regulations
Methyl Methacrylate(80-62-6)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard Rating Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above 100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB IC)
Physical	: 2 Moderate Hazard - Materials that are unstable and may undergo violent chemical changes at normal temperature and pressure with low risk for explosion. Materials may react violently with water or form peroxides upon exposure to air.

SDS US (GHS HazCom 2012)

POLYSCIENCES, INC. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. POLYSCIENCES, INC. makes no representations or warranties, either expressed or implied of merchantability, fitness for particular purposes with respect to the information set forth herein or to which the information refers. Accordingly, POLYSCIENCES, INC. will not be responsible for damages resulting from the use of or reliance upon this information.