

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 09/19/2022 Version: 1.0

ECTION 1: Identification			
.1. Identification			
Product form	: Mixture		
Trade name	: Weigert's Iron Hematoxylin Soluti	ion A	
Product code	: 26294A		
1.2. Recommended use and restriction			
Recommended use	: Use as laboratory reagent, Manu	facture of substance	S
1.3. Supplier			
Supplier Polysciences 400 Valley Road Warrington, PA 18976 - United States T +1 215 343 6484 - F +1 215 343 0214 info@polysciences.com - www.polyscience	<u>s.com</u>		
1.4. Emergency telephone number			
Emergency number	: 24-hour emergency phone number	er ChemTel 1-800-2	55-3924
SECTION 2: Hazard(s) identification	on		
2.1. Classification of the substance of	or mixture		
GHS US classification			
Flammable liquids Category 3	Flammable liquid and vapo	or	
2.2. GHS Label elements, including p	precautionary statements		
GHS US labeling			
Signal word (GHS US)	: Warning		
Hazard statements (GHS US)	: Flammable liquid and vapor		
Precautionary statements (GHS US)	 Keep away from heat, hot surface smoking Keep container tightly closed. Ground/Bond container and recein Use explosion-proof electrical/vert Use only non-sparking tools. Take precautionary measures ag 	iving equipment. ntilating/lighting equi	
2.3. Other hazards which do not resu	It in classification		
No additional information available			
2.4. Unknown acute toxicity (GHS US	6)		
Not applicable			
SECTION 3: Composition/Informa	tion on ingredients		
3.1. Substances			
Not applicable			
3.2. Mixtures			
Name	Product identifier	%	GHS US classification
Ethyl alcohol Isopropyl Alcohol, 99.9%	(CAS-No.) 64-17-5 (CAS-No.) 67-63-0	90 - 100	Flam. Liq. 2, H225 Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2B, H320

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS US classification
Methyl alcohol	(CAS-No.) 67-56-1	0 – 5	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:vapour), H331 STOT SE 1, H370
Hematoxylin	(CAS-No.) 517-28-2	0 – 5	Eye Irrit. 2A, H319 Aquatic Acute 3, H402

Full text of hazard classes and H-statements : see section 16

SECTIC	N 4: First-aid measures	
4.1.	Description of first aid measures	
First-aid	measures general	: Call a poison center/doctor/physician if you feel unwell.
First-aid	measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid	measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing.
First-aid	measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid	measures after ingestion	: Rinse mouth. Call a poison center/doctor/physician if you feel unwell.
4.2.	Most important symptoms and effect	s (acute and delayed)
Sympton	ns/effects after eye contact	: Mild eye irritation.
4.3.	Immediate medical attention and spe	cial treatment, if necessary
Treat sym	ptomatically.	
SECTIC	ON 5: Fire-fighting measures	
5.1.	Suitable (and unsuitable) extinguishing	ng media
Suitable	extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2.	Specific hazards arising from the che	mical
Fire haza	ard	: Highly flammable liquid and vapor. Flammable liquid and vapor.
Hazardo fire	us decomposition products in case of	: Toxic fumes may be released.
5.3.	Special protective equipment and pre	ecautions for fire-fighters
Protectio	on during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTIC	N 6: Accidental release meas	ures
6.1.	Personal precautions, protective equ	ipment and emergency procedures
6.1.1.	For non-emergency personnel	
Emerger	ncy procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes.
6.1.2.	For emergency responders	
Protectiv	/e equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2.	Environmental precautions	
Avoid rele	ase to the environment.	
6.3.	Methods and material for containmer	it and cleaning up
Methods	for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other inf	formation	: Dispose of materials or solid residues at an authorized site.
6.4.	Reference to other sections	
Cor furthe	r information refer to contian 12	

For further information refer to section 13.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including a	any incompatibilities
Technical measures	: Ground/bond container and receiving equipment.
Storage conditions	: Store at room temp. Store in a well-ventilated place. Keep cool. Keep container tightly closed.

ECTION 8: Exposure controls/pers	sonal protection
I. Control parameters	
Weigert's Iron Hematoxylin Solution A	
No additional information available	
Isopropyl Alcohol, 99.9% (67-63-0)	
No additional information available	
Ethyl alcohol (64-17-5)	
USA - ACGIH - Occupational Exposure Lir	mite
Local name	Ethanol
ACGIH STEL (ppm)	1000 ppm
Remark (ACGIH)	TLV® Basis: URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans
Regulatory reference	ACGIH 2020
USA - OSHA - Occupational Exposure Lin	
Local name	Ethyl alcohol (Ethanol)
OSHA PEL (TWA) (mg/m ³)	1900 mg/m ³
OSHA PEL (TWA) (ppm)	1000 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
USA - IDLH - Occupational Exposure Limi	ts
US IDLH (ppm)	3300 ppm (10% LEL)
USA - NIOSH - Occupational Exposure Lir	nits
NIOSH REL (TWA) (mg/m ³)	1900 mg/m ³
NIOSH REL TWA [ppm]	1000 ppm
Hematoxylin (517-28-2)	
No additional information available	
Methyl alcohol (67-56-1)	
USA - ACGIH - Occupational Exposure Lir	mits
ACGIH TWA (ppm)	200 ppm
ACGIH STEL (ppm)	250 ppm
ACGIH chemical category	Skin - potential significant contribution to overall exposure by the cutaneous route
USA - ACGIH - Biological Exposure Indice	
Biological Exposure Indices (BEI)	15 mg/l Parameter: Methanol - Medium: urine - Sampling time: end of shift (background, nonspecific)
USA - OSHA - Occupational Exposure Lin	nits
OSHA PEL (TWA) (mg/m³)	260 mg/m ³
OSHA PEL (TWA) (ppm)	200 ppm
USA - IDLH - Occupational Exposure Limi	ts
US IDLH (ppm)	6000 ppm
USA - NIOSH - Occupational Exposure Lir	nits
NIOSH REL (TWA) (mg/m ³)	260 mg/m ³

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NIOSH REL TWA [ppm]	200 ppm
NIOSH REL (STEL) (mg/m ³)	325 mg/m ³
NIOSH REL STEL [ppm]	250 ppm
US-NIOSH chemical category	Potential for dermal absorption

8.2.	Appropriate engineering controls		

Appropriate engineering controls Environmental exposure controls Ensure good ventilation of the work station.Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical pr	operties
9.1. Information on basic physical and ch	emical properties
Physical state	: Liquid
Color	: Mixture contains one or more component(s) which have the following colour(s): Colorless clear
Odor	 There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odour: alcohol-like
Odor threshold	: No data available
рН	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ccording to Federal Register / Vol. 77, No. 58 / Monday, Ma	
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
Highly flammable liquid and vapor. Flammable liqui	d and vapor.
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	
No dangerous reactions known under normal condi	tions of use.
10.4. Conditions to avoid	
Avoid contact with hot surfaces. Heat. No flames, n	o sparks. Eliminate all sources of ignition.
10.5. Incompatible materials	· •
No additional information available	
10.6. Hazardous decomposition products	
	dous decomposition products should not be produced.
-	
SECTION 11: Toxicological informatio	n
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Isopropyl Alcohol, 99.9% (67-63-0)	
LD50 oral rat	6.48 ml/kg ml/kg
Ethyl alcohol (64-17-5)	
LD50 oral rat	7060 mg/kg
LC50 Inhalation - Rat	124.7 mg/l/4h
Methyl alcohol (67-56-1)	
LD50 oral rat	6200 mg/kg
LC50 Inhalation - Rat [ppm]	22500 ppm (Exposure time: 8 h)
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified : Not classified
Respiratory or skin sensitization Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Isopropyl Alcohol, 99.9% (67-63-0)	2. Natalassifishla
IARC group	3 - Not classifiable
Ethyl alcohol (64-17-5) IARC group	1 - Carcinogenic to humans
In OSHA Hazard Communication Carcinogen	1 - Carcinogenic to humans Yes
list	
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
Isopropyl Alcohol, 99.9% (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methyl alcohol (67-56-1)	
STOT-single exposure	Causes damage to organs.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects after eye contact	: Mild eye irritation.

ECTION 12: Ecological information	
2.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Ethyl alcohol (64-17-5)	
LC50 fish 2	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 2	2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
Methyl alcohol (67-56-1)	
LC50 fish 1	28200 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Ethyl alcohol (64-17-5)	
Partition coefficient n-octanol/water (Log Pow)	-0.32
Methyl alcohol (67-56-1)	
BCF fish 1	< 10
Partition coefficient n-octanol/water (Log Pow)	-0.77

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal consideration	ons
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Flammable vapors may accumulate in the container.
SECTION 14: Transport informatio	n
Department of Transportation (DOT)	
In accordance with DOT	
Transport document description	: UN1170 Ethyl alcohol solutions, 3, II
UN-No.(DOT)	: UN1170
Proper Shipping Name (DOT)	: Ethyl alcohol solutions
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Packing group (DOT)	: II - Medium Danger

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard labels (DOT)	: 3 - Flammable liquid				
	PLAMABLE LIQUID				
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202				
DOT Packaging Bulk (49 CFR 173.xxx)	: 242				
DOT Special Provisions (49 CFR 172.102)	 24 - Alcoholic beverages containing more than 70 percent alcohol by volume must be transported as materials in Packing Group II. Alcoholic beverages containing more than 24 percent but not more than 70 percent alcohol by volume must be transported as materials in Packing Group III. IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31H21). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T4 - 2.65 178.274(d)(2) Normal				
DOT Packaging Exceptions (49 CFR 173.xxx)	: 4b, 150				
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 5L				
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L				
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.				
Emergency Response Guide (ERG) Number	: 127				
Other information	: No supplementary information available.				
Transportation of Dangerous Goods					
Not applicable					
Transport by sea					
Transport document description (IMDG)	: UN 1170 ETHANOL (ETHYL ALCOHOL), 3, II				
UN-No. (IMDG)	: 1170				
Proper Shipping Name (IMDG)	: ETHANOL (ETHYL ALCOHOL)				
Class (IMDG)	: 3 - Flammable liquids				
Packing group (IMDG)	: II - substances presenting medium danger				
Limited quantities (IMDG)	: 1L				
Air transport					
Transport document description (IATA)	: UN 1170 Ethanol solution, 3, II				
UN-No. (IATA)	: 1170				
Proper Shipping Name (IATA)	: Ethanol solution				
Class (IATA)	: 3 - Flammable Liquids				
Packing group (IATA)	: II - Medium danger				
ECTION 15: Regulatory information					
5.1. US Federal regulations					
Isopropyl Alcohol, 99.9% (67-63-0)					
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313					
Ethyl alcohol (64-17-5)					
Listed on the United States TSCA (Toxic Substances Control Act) inventory					

Hematoxylin (517-28-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methyl alcohol (67-56-1)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313 Listed on EPA Hazardous Air Pollutant (HAPS)	
CERCLA RQ	5000 lb

15.2. International regulations

CANADA

Isopropyl Alcohol, 99.9% (67-63-0)	
Listed on the Canadian DSL (Domestic Substances List)	
Ethyl alcohol (64-17-5)	
Listed on the Canadian DSL (Domestic Substances List)	
Hematoxylin (517-28-2)	
Listed on the Canadian DSL (Domestic Substances List)	
Methyl alcohol (67-56-1)	
Listed on the Canadian DSL (Domestic Substances List)	

EU-Regulations

Hematoxylin (517-28-2)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Methyl alcohol (67-56-1)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

Ethyl alcohol (64-17-5)

Listed on IARC (International Agency for Research on Cancer)

Hematoxylin (517-28-2)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

- Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
- Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
- Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Methyl alcohol (67-56-1)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Japanese Poisonous and Deleterious Substances Control Law

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on CICR (Turkish Inventory and Control of Chemicals)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methyl alcohol (67-56-1)					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
No	Yes	No	No		47000 μg/day inhalation
Component Isopropyl Alcohol, 99.9%(67-63-0)		State or local regulations			
		U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List			
Ethyl alcohol(64-17-5)		U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List			
Methyl alcohol(67-56-1)			U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List; U.S Pennsylvania - RTK (Right to Know) List		

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SDS US (GHS HazCom 2012)

POLYSCIENCES, INC. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. POLYSCIENCES, INC. makes no representations or warranties, either expressed or implied of merchantability, fitness for particular purposes with respect to the information set forth herein or to which the information refers. Accordingly, POLYSCIENCES, INC. will not be responsible for damages resulting from the use of or reliance upon this information.