

2-hydroxypropyl acrylate Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 09/13/2021 Supersedes: 06/14/2011 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Trade name	: 2-hydroxypropyl acrylate
CAS-No.	: 999-61-1
Product code	: 25353
Formula	: C6 H10 O3
1.2. Recommended use and restrictions	
Recommended use	: Use as laboratory reagent, Manufacture of substances
1.3. Supplier	
Supplier Polysciences 400 Valley Road Warrington, PA 18976 - United States T +1 215 343 6484 - F +1 215 343 0214 info@polysciences.com - www.polysciences.com	<u>m</u>
1.4. Emergency telephone number	
Emergency number	: 24-hour emergency phone number ChemTel 1-800-255-3924
SECTION 2: Horord(a) identification	
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or m	IXTURE
GHS US classification	
Flammable liquids Category 4 Acute toxicity (oral) Category 3 Acute toxicity (dermal) Category 2 Acute toxicity (inhalation) Category 3 Skin corrosion/irritation Category 1B Skin sensitization, Category 1	Combustible liquid Toxic if swallowed Fatal in contact with skin Toxic if inhaled Causes severe skin burns and eye damage May cause an allergic skin reaction
2.2. GHS Label elements, including prec	autionary statements
GHS US labeling	
Hazard pictograms (GHS US)	
Signal word (GHS US)	: Danger
Hazard statements (GHS US)	: Combustible liquid Toxic if swallowed or if inhaled Fatal in contact with skin Causes severe skin burns and eye damage May cause an allergic skin reaction
Precautionary statements (GHS US)	 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Do not breathe dust/fume/gas/mist/vapors/spray. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product.
2.3. Other hazards which do not result in	classification

Other hazards which do not result in classification 2.3.

No additional information available

Unknown acute toxicity (GHS US) 2.4.

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable 3.2. Mixtures

This mixture does not contain any substances to be mentioned according to the criteria of section 3.2 of HazCom 2012

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a doctor.
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. Call a physician immediately. Rinse skin with water/shower.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Call a physician immediately. Do not induce vomiting.
4.2. Most important symptoms and effect	s (acute and delayed)
Symptoms/effects after skin contact	: Burns. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Serious damage to eyes. Mild eye irritation.
Symptoms/effects after ingestion	: Burns.
4.3. Immediate medical attention and spe	cial treatment, if necessary
Treat symptomatically.	,
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishi	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Specific hazards arising from the che	
Fire hazard	: Combustible liquid.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Special protective equipment and pro	ecautions for fire-fighters
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release meas	ures
6.1. Personal precautions, protective equ	ipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene. No open flames, no sparks, and no smoking. Do not breathe dust/fume/gas/mist/vapors/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containmen	nt and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	•
For further information refer to section 13	

For further information refer to section 13.

2-hydroxypropyl acrylate Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not get in eyes, on skin, or on clothing. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace.
7.2. Conditions for safe storage, including	any incompatibilities
Storage conditions	: Store at room temp. Store locked up. Store in a well-ventilated place. Keep cool. Keep container tightly closed.

ECTION 8: Exposure controls/personal protection
1. Control parameters
2-hydroxypropyl acrylate (999-61-1)
No additional information available
2. Appropriate engineering controls
Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.
3. Individual protection measures/Personal protective equipment
Hand protection:
Protective gloves
Eye protection:
Safety glasses
Skin and body protection:
Wear suitable protective clothing
Respiratory protection:
In case of insufficient ventilation, wear suitable respiratory equipment. [In case of inadequate ventilation] wear respiratory protection.
Personal protective equipment symbol(s):

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Appearance	: Liquid.	
Color	: No data available	
Odor	: No data available	
Odor threshold	: No data available	
pH	: No data available	
Melting point	: no data	
Freezing point	: No data available	
Boiling point	: 77 °C C	
Flash point	: 193 °F F	
Relative evaporation rate (butyl acetate=1)	: No data available	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Flammability (solid, gas)	: Not applicable.
Vapor pressure	: no data
Relative vapor density at 20°C	: g/l
Relative density	: No data available
Molecular mass	: 130.14
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (oral)	Toxic if swallowed.
Acute toxicity (dermal)	Fatal in contact with skin.
Acute toxicity (inhalation)	Toxic if inhaled.
2-hydroxypropyl acrylate (999-61-1)	
LD50 oral rat	250 mg/kg mg/kg
LD50 dermal rabbit	160 μl/kg UL/KG
ATE US (oral)	250 mg/kg body weight
ATE US (dermal)	160 mg/kg body weight
ATE US (gases)	700 ppmV/4h
ATE US (vapors)	3 mg/l/4h
ATE US (dust, mist)	0.5 mg/l/4h
Skin corrosion/irritation	Causes severe skin burns.
Serious eye damage/irritation	Assumed to cause serious eye damage
Respiratory or skin sensitization	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects after skin contact	: Burns. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Serious damage to eyes. Mild eye irritation.
Symptoms/effects after ingestion	: Burns.

SECTION 12: Ecolo	gical information
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. Before neutralisation, the product may represent a danger to aquatic organisms.
12.2. Persistence ar	nd degradability
No additional information	available
12.3. Bioaccumulati	ve potential
No additional information	available
12.4. Mobility in soil	
No additional information	available
12.5. Other adverse	effects
No additional information	available

SECTIO	ON 13: Disposal co	nsiderations
13.1.	Disposal methods	
Waste t	reatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

Department of Transportation (DOT) In accordance with DOT

Transport document description UN-No.(DOT) Proper Shipping Name (DOT) Class (DOT) Packing group (DOT) Subsidiary risk (DOT) Hazard labels (DOT)

- : UN2922 Corrosive liquids, toxic, n.o.s., 8 (6.1), II
- : UN2922
- : Corrosive liquids, toxic, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : II Medium Danger
- : 6.1 Class 6.1 Poisonous materials 49 CFR 173.132
- : 8 Corrosive

: 243



DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5 5 i i i i i i i i i i i i i i i i i i		·, · · · · · · · · · · · · · · · · · ·
DOT Special Provisions (49 CFR 172.102)		B3 - MC 300, MC 301, MC 302, MC 303, MC 305, and MC 306 and DOT 406 cargo tanks and DOT 57 portable tanks are not authorized. IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T7 - 4 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)		154
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)		
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	:	30 L
DOT Vessel Stowage Location	:	B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
DOT Vessel Stowage Other	:	40 - Stow "clear of living quarters"
Emergency Response Guide (ERG) Number	:	154
Other information	:	No supplementary information available.
Transportation of Dangerous Goods		
Not applicable		
Transport by sea		
Transport document description (IMDG)	:	UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S., 8 (6.1), II
UN-No. (IMDG)	:	
Proper Shipping Name (IMDG)		CORROSIVE LIQUID, TOXIC, N.O.S.
Class (IMDG) Packing group (IMDG)		8 - Corrosive substances II - substances presenting medium danger
Subsidiary hazard (IMDG)		6.1 - Toxic substances
Limited quantities (IMDG)		1L
Air transport		
Transport document description (IATA)	:	UN 2922 Corrosive liquid, toxic, n.o.s., 8 (6.1), II
UN-No. (IATA)	:	2922
Proper Shipping Name (IATA)	:	Corrosive liquid, toxic, n.o.s.
Class (IATA)	:	8 - Corrosives
Packing group (IATA)	:	II - Medium danger
Subsidiary hazards (IATA)	:	6.1 - Toxic Substances
SECTION 15: Regulatory information		
15.1. US Federal regulations		
No additional information available		

15.2. International regulations

CANADA

2-hydroxypropyl acrylate (999-61-1) Listed on the Canadian DSL (Domestic Substances List)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EU-Regulations

National regulations

No additional information available

15.3. US State regulations

2-hydroxypropyl acrylate (999-61-1)	
State or local regulations	U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II IIIA)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

POLYSCIENCES, INC. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. POLYSCIENCES, INC. makes no representations or warranties, either expressed or implied of merchantability, fitness for particular purposes with respect to the information set forth herein or to which the information refers. Accordingly, POLYSCIENCES, INC. will not be responsible for damages resulting from the use of or reliance upon this information.