

Benzoyl Peroxide, Plasticized (JB-4 Embedding Kit Catalyst)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 09/07/2022

Version: 1.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Trade name : Benzoyl Peroxide, Plasticized (JB-4 Embedding Kit Catalyst)
Product code : 02618

1.2. Recommended use and restrictions on use

Recommended use : Use as laboratory reagent, Manufacture of substances

1.3. Supplier

Supplier

Polysciences
400 Valley Road
Warrington, PA 18976 - United States
T +1 215 343 6484 - F +1 215 343 0214
info@polysciences.com - www.polysciences.com

1.4. Emergency telephone number

Emergency number : 24-hour emergency phone number ChemTel 1-800-255-3924

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Oxidizing solids Category 1	May cause fire or explosion; strong oxidizer
Organic Peroxide Category A	Heating may cause an explosion
Skin corrosion/irritation Category 2	Causes skin irritation
Serious eye damage/eye irritation Category 2B	Causes eye irritation
Hazardous to the aquatic environment – Chronic Hazard Category 2	Toxic to aquatic life with long lasting effects

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) :

Danger

Hazard statements (GHS US) :

Heating may cause an explosion
May cause fire or explosion; strong oxidizer
Causes skin irritation
Causes eye irritation
Toxic to aquatic life with long lasting effects

Precautionary statements (GHS US) :

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
Keep/Store away from clothing and other combustible materials
Take any precaution to avoid mixing with combustibles
Keep only in original container.
Wash hands, forearms and face thoroughly after handling.
Avoid release to the environment.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

Benzoyl Peroxide, Plasticized (JB-4 Embedding Kit Catalyst)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
BENZOYL PEROXIDE	(CAS-No.) 94-36-0	51 – 60	Org. Perox. B, H241 Eye Irrit. 2, H319 Skin Sens. 1, H317
1,2-Benzenedicarboxylic acid, dicyclohexyl ester	(CAS-No.) 84-61-7	51 – 60	Skin Sens. 1, H317 Repr. 2, H361 STOT RE 2, H373 Aquatic Chronic 3, H412

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention. Rinse skin with water/shower. Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/effects after skin contact : Irritation.
- Symptoms/effects after eye contact : Mild eye irritation.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical

- Fire hazard : May cause fire or explosion; strong oxidizer.
- Explosion hazard : Heating may cause an explosion.
- Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. No open flames, no sparks, and no smoking.

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- For containment : Collect spillage.

Benzoyl Peroxide, Plasticized (JB-4 Embedding Kit Catalyst)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
- Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep cool. Store in a well-ventilated place. Store at 4 deg. C. Store away from other materials. Protect from sunlight. Keep only in original container.
- Incompatible materials : Combustible materials.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Benzoyl Peroxide, Plasticized (JB-4 Embedding Kit Catalyst)

No additional information available

BENZOYL PEROXIDE (94-36-0)

No additional information available

1,2-Benzenedicarboxylic acid, dicyclohexyl ester (84-61-7)

No additional information available

8.2. Appropriate engineering controls

- Appropriate engineering controls : Ensure good ventilation of the work station.
- Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing. Wear fire/flame resistant/retardant clothing.

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

- Physical state : Liquid
- Color : Mixture contains one or more component(s) which have the following colour(s): white

Benzoyl Peroxide, Plasticized (JB-4 Embedding Kit Catalyst)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Odor	: There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odour: mild aromatic
Odor threshold	: No data available
pH	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: Heating may cause an explosion.
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport. Heating may cause an explosion. May cause fire or explosion; strong oxidizer.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Combustible materials.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

1,2-Benzenedicarboxylic acid, dicyclohexyl ester (84-61-7)	
LD50 oral rat	30 ml/kg
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))

Skin corrosion/irritation : Causes skin irritation.

Benzoyl Peroxide, Plasticized (JB-4 Embedding Kit Catalyst)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Serious eye damage/irritation	: Causes eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

BENZOYL PEROXIDE (94-36-0)

IARC group	3 - Not classifiable
------------	----------------------

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

1,2-Benzenedicarboxylic acid, dicyclohexyl ester (84-61-7)

NOAEL (oral,rat,90 days)	50 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

Viscosity, kinematic : No data available

Symptoms/effects after skin contact : Irritation.

Symptoms/effects after eye contact : Mild eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. Toxic to aquatic life with long lasting effects.

1,2-Benzenedicarboxylic acid, dicyclohexyl ester (84-61-7)

LC50 fish 1	> 2 mg/l Test organisms (species): Oryzias latipes
LOEC (chronic)	0.572 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0.181 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description : UN3106 Organic peroxide type D, solid, 5.2

UN-No.(DOT) : UN3106

Proper Shipping Name (DOT) : Organic peroxide type D, solid

Benzoyl Peroxide, Plasticized (JB-4 Embedding Kit Catalyst)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Class (DOT) : 5.2 - Class 5.2 - Organic Peroxide 49 CFR 173.128
Hazard labels (DOT) : 5.2 - Organic peroxide



Dangerous for the environment : Yes
Marine pollutant : Yes



DOT Packaging Non Bulk (49 CFR 173.xxx) : 225
DOT Packaging Bulk (49 CFR 173.xxx) : None
DOT Symbols : G - Identifies PSN requiring a technical name
DOT Packaging Exceptions (49 CFR 173.xxx) : 152
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 5 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 10 kg
DOT Vessel Stowage Location : D - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers or one passenger per each 3 m of overall vessel length, but the material is prohibited on passenger vessels in which the limiting number of passengers is exceeded.
DOT Vessel Stowage Other : 12 - Keep as cool as reasonably practicable, 25 - Protected from sources of heat, 52 - Stow "separated from" acids, 53 - Stow "separated from" alkaline compounds
Emergency Response Guide (ERG) Number : 145
Other information : No supplementary information available.

Transportation of Dangerous Goods

Not applicable

Transport by sea

Transport document description (IMDG) : UN 3106 ORGANIC PEROXIDE TYPE D, SOLID, 5.2
UN-No. (IMDG) : 3106
Proper Shipping Name (IMDG) : ORGANIC PEROXIDE TYPE D, SOLID
Class (IMDG) : 5.2 - Organic peroxides
Limited quantities (IMDG) : 500 g
Marine pollutant : Yes



Air transport

Transport document description (IATA) : UN 3106 Organic peroxide type D, solid, 5.2
UN-No. (IATA) : 3106
Proper Shipping Name (IATA) : Organic peroxide type D, solid
Class (IATA) : 5.2 - Organic Peroxides

Benzoyl Peroxide, Plasticized (JB-4 Embedding Kit Catalyst)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information

15.1. US Federal regulations

Benzoyl Peroxide, Plasticized (JB-4 Embedding Kit Catalyst)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

BENZOYL PEROXIDE (94-36-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory
Subject to reporting requirements of United States SARA Section 313

1,2-Benzenedicarboxylic acid, dicyclohexyl ester (84-61-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

Benzoyl Peroxide, Plasticized (JB-4 Embedding Kit Catalyst)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

BENZOYL PEROXIDE (94-36-0)

Listed on the Canadian DSL (Domestic Substances List)

1,2-Benzenedicarboxylic acid, dicyclohexyl ester (84-61-7)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

1,2-Benzenedicarboxylic acid, dicyclohexyl ester (84-61-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

1,2-Benzenedicarboxylic acid, dicyclohexyl ester (84-61-7)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Japanese Pollutant Release and Transfer Register Law (PRTR Law)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on CICR (Turkish Inventory and Control of Chemicals)
Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

Component	State or local regulations
BENZOYL PEROXIDE(94-36-0)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SDS US (GHS HazCom 2012)

POLYSCIENCES, INC. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. POLYSCIENCES, INC. makes no representations or warranties, either expressed or implied of merchantability, fitness for particular purposes with respect to the information set forth herein or to which the information refers. Accordingly, POLYSCIENCES, INC. will not be responsible for damages resulting from the use of or reliance upon this information.