

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 09/10/2021 Supersedes: 04/20/2005 Version: 1.0

### **SECTION 1: Identification**

### 1.1. Identification

Product form : Mixture

Trade name : JB-4 PLUS MONOMER SOLUTION A (DS

Product code : 18570A Formula : mixture

#### 1.2. Recommended use and restrictions on use

Recommended use : Use as laboratory reagent, Manufacture of substances

#### 1.3. Supplier

#### Supplier

Polysciences 400 Valley Road Warrington, PA 18976 - United States T +1 215 343 6484 - F +1 215 343 0214 info@polysciences.com - www.polysciences.com

## 1.4. Emergency telephone number

Emergency number : 24-hour emergency phone number ChemTel 1-800-255-3924

## SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

#### **GHS US classification**

Serious eye damage/eye irritation Category 2A

Skin sensitization, category 1B

Causes serious eye irritation
May cause an allergic skin reaction

## 2.2. GHS Label elements, including precautionary statements

#### **GHS US labeling**

Hazard pictograms (GHS US)



Signal word (GHS US) : Warning

Hazard statements (GHS US) : May cause an allergic skin reaction

Causes serious eye irritation

Precautionary statements (GHS US) : Avoid breathing dust/fume/gas/mist/vapors/spray.

Wash hands, forearms and face thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

## 2.3. Other hazards which do not result in classification

No additional information available

## 2.4. Unknown acute toxicity (GHS US)

Not applicable

## **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
2-Hydroxyethyl methacrylate, purified	(CAS-No.) 868-77-9	91 – 100	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317

11/13/2023 EN (English US) Page 1

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS US classification
1,4-dioxane	(CAS-No.) 123-91-1	0 – 5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 Carc. 2, H351 STOT SE 3, H335
Acetaldehyde	(CAS-No.) 75-07-0	0 – 5	Flam. Liq. 1, H224 Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Muta. 2, H341 Carc. 1A, H350 STOT SE 3, H335 Aquatic Acute 2, H401
Ethylene oxide	(CAS-No.) 75-21-8	0-5	Flam. Gas 1, H220 Press. Gas (Liq.), H280 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:gas), H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Muta. 1B, H340 Carc. 1A, H350 STOT SE 3, H335 Aquatic Acute 3, H402
4-Methoxyphenol	(CAS-No.) 150-76-5	≤ 5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 3, H402
Formaldehyde	(CAS-No.) 50-00-0	0-5	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Muta. 2, H341 Carc. 1A, H350 STOT SE 3, H336 Aquatic Acute 2, H401

Full text of hazard classes and H-statements : see section 16

## **SECTION 4: First-aid measures**

#### 4.1. **Description of first aid measures**

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: First-aid measures after skin contact

Get medical advice/attention.

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to First-aid measures after eye contact

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

## Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

#### Immediate medical attention and special treatment, if necessary 4.3.

Treat symptomatically.

## **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of : Toxic fumes may be released.

#### Special protective equipment and precautions for fire-fighters 5.3.

: Do not attempt to take action without suitable protective equipment. Self-contained breathing Protection during firefighting

apparatus. Complete protective clothing.

11/13/2023 EN (English US) 2/11

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

## 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapors/spray.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

## 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapors/spray. Wear personal protective equipment.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands

after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep cool. Store in a well-ventilated place. Store at 4 deg. C.

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

JB-4 PLUS MONOMER SOLUTION A (DS		
No additional information available		
1,4-dioxane (123-91-1)		
USA - ACGIH - Occupational Exposure Limits		
Local name	1,4-Dioxane	
ACGIH TWA (ppm)	20 ppm	
Remark (ACGIH)	TLV® Basis: Liver dam. Notations: Skin; A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)	
ACGIH chemical category	Skin - potential significant contribution to overall exposure by the cutaneous route, Confirmed Animal Carcinogen with Unknown Relevance to Humans	
Regulatory reference	ACGIH 2018	
USA - OSHA - Occupational Exposure Lim	its	
Local name	Dioxane (Diethylene dioxide)	
OSHA PEL (TWA) (mg/m³)	360 mg/m³	
OSHA PEL (TWA) (ppm)	100 ppm	
Limit value category (OSHA)	prevent or reduce skin absorption	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	
USA - IDLH - Occupational Exposure Limit	ts	
US IDLH (ppm)	500 ppm	
USA - NIOSH - Occupational Exposure Lin	nits	
NIOSH REL (ceiling) (mg/m³)	3.6 mg/m³	
NIOSH REL C [ppm]	1 ppm	
2-Hydroxyethyl methacrylate, purified (868-77-9)		
No additional information available		

11/13/2023 EN (English US) 3/11

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4-Methoxyphenol (150-76-5)	
USA - ACGIH - Occupational Exposure Limi	ts
Local name	4-Methoxyphenol
ACGIH TWA (mg/m³)	5 mg/m³
Remark (ACGIH)	TLV® Basis: Eye irr; skin dam
Regulatory reference	ACGIH 2020
USA - NIOSH - Occupational Exposure Limi	ts
NIOSH REL (TWA) (mg/m³)	5 mg/m³
Acetaldehyde (75-07-0)	
USA - ACGIH - Occupational Exposure Limi	ts
Local name	Acetaldehyde
ACGIH Ceiling (ppm)	25 ppm
Remark (ACGIH)	TLV® Basis: Eye & URT irr. Notations: A2 (Suspected Human Carcinogen)
ACGIH chemical category	Suspected Human Carcinogen
Regulatory reference	ACGIH 2020
USA - OSHA - Occupational Exposure Limit	S
Local name	Acetaldehyde
OSHA PEL (TWA) (mg/m³)	360 mg/m³
OSHA PEL (TWA) (ppm)	200 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
USA - IDLH - Occupational Exposure Limits	
US IDLH (ppm)	2000 ppm
Ethylene oxide (75-21-8)	
USA - ACGIH - Occupational Exposure Limi	ts
Local name	Ethylene oxide
ACGIH TWA (ppm)	1 ppm
Remark (ACGIH)	TLV® Basis: Cancer; CNS impair. Notations: A2 (Suspected Human Carcinogen)
ACGIH chemical category	Suspected Human Carcinogen
Regulatory reference	ACGIH 2020
USA - ACGIH - Biological Exposure Indices	
Local name	ETHYLENE OXIDE
Biological Exposure Indices (BEI)	5000 pmol/g Globin Parameter: N-(2-hydroxyethyl)valine (HEV) - Medium: hemoglobin adducts - Sampling time: Not critical - Notations: Ns 5 μg/g Kreatinin Parameter: S-(2-hydroxyethyl)mercapturic acid (HEMA) - Medium: urine - Sampling time: End of shift - Notations: Pop, Ns
ACGIH remark (BEI)	The value of HEV hemoglobin adducts applies to workers having representative Ethylene oxide exposure during the previous 120 days
Regulatory reference	ACGIH 2020
USA - OSHA - Occupational Exposure Limit	s
OSHA PEL (TWA) (ppm)	1 ppm
OSHA PEL (STEL) (ppm)	5 ppm (see 29 CFR 1910.1047)
<b>USA - IDLH - Occupational Exposure Limits</b>	
US IDLH (ppm)	800 ppm
USA - NIOSH - Occupational Exposure Limi	ts
NIOSH REL (TWA) (mg/m³)	0.18 mg/m³ (less than stated value)
NIOSH REL TWA [ppm]	0.1 ppm (less than stated value)
NIOSH REL (ceiling) (mg/m³)	9 mg/m³
NIOSH REL C [ppm]	5 ppm
Formaldehyde (50-00-0)	
No additional information available	

## 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

11/13/2023 EN (English US) 4/11

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## 8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

### Personal protective equipment symbol(s):



## SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : clear colorless liquid.

Color : Mixture contains one or more component(s) which have the following colour(s):

Colorless

Odor : There may be no odour warning properties, odour is subjective and inadequate to warn of

overexposure.

Mixture contains one or more component(s) which have the following odour:

ether-like Fruity caramel phenolic

Odor threshold : No data available

pH : no data

Melting point : Not applicable

Freezing point : No data available

Boiling point : no data
Flash point : 214

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not applicable. Vapor pressure : no data Relative vapor density at 20°C : no data

Relative density : No data available Solubility No data available Partition coefficient n-octanol/water (Log Pow) : No data available No data available Auto-ignition temperature Decomposition temperature : No data available : No data available Viscosity, kinematic Viscosity, dynamic No data available : No data available **Explosion limits** Explosive properties : No data available : No data available Oxidizing properties

## 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

11/13/2023 EN (English US) 5/11

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

1,4-dioxane (123-91-1)		
LD50 oral rat	5170 mg/kg	
LD50 dermal rabbit	7600 mg/kg	

4-Methoxyphenol (150-76-5)	
LD50 oral rat	1600 mg/kg
LD50 dermal rabbit	> 2000 mg/kg

Acetaldehyde (75-07-0)		
LD50 oral rat	660 mg/kg	
LC50 Inhalation - Rat [ppm]	13000 ppm/4h	

Ethylene oxide (75-21-8)	
LD50 oral rat	72 mg/kg
LC50 Inhalation - Rat [ppm]	800 ppm/4h

Skin corrosion/irritation : Not classified pH: no data

Serious eye damage/irritation : Causes serious eye irritation.

pH: no data

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

1,4-dioxane (123-91-1)	
NOAEL (chronic,oral,animal/male,2 years)	94 mg/kg body weight Animal: rat, Animal sex: male, Remarks on results: other:Effect type: carcinogenicity (migrated information)
NOAEL (chronic,oral,animal/female,2 years)	148 mg/kg body weight Animal: rat, Animal sex: female, Remarks on results: other:Effect type: carcinogenicity (migrated information)
IARC group	2B - Possibly carcinogenic to humans
National Toxicity Program (NTP) Status	Reasonably anticipated to be Human Carcinogen
In OSHA Hazard Communication Carcinogen list	Yes

Acetaldehyde (75-07-0)	
IARC group	2B - Possibly carcinogenic to humans, 1 - Carcinogenic to humans
National Toxicity Program (NTP) Status	Reasonably anticipated to be Human Carcinogen
In OSHA Hazard Communication Carcinogen list	Yes
Ethylene oxide (75-21-8)	
IARC group	1 - Carcinogenic to humans

11/13/2023 EN (English US) 6/11

## Safety Data Sheet

LC50 fish 1

EC50 Daphnia 1

Ethylene oxide (75-21-8)

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

National Toxicity Program (NTP) Status	Known Human Carcinogens
In OSHA Hazard Communication Carcinogen	Yes
list	
In OSHA Specifically Regulated Carcinogen list	Yes
Formaldehyde (50-00-0)	
IARC group	1 - Carcinogenic to humans
National Toxicity Program (NTP) Status	Known Human Carcinogens
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
•	. 1100 diagonida
1,4-dioxane (123-91-1)	May acuse requiretent installe
STOT-single exposure	May cause respiratory irritation.
Acetaldehyde (75-07-0)	
STOT-single exposure	May cause respiratory irritation.
Ethylene oxide (75-21-8) STOT-single exposure	May cause respiratory irritation.
3101-siligle exposure	iviay cause respiratory irritation.
Formaldehyde (50-00-0)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
1,4-dioxane (123-91-1)	
NOAEC (inhalation,rat,vapor,90 days)	> 0.4 mg/l air Animal: rat
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
· ·	: Eye irritation.
	•
SECTION 12: Ecological information	
2.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse
	effects in the environment.
1,4-dioxane (123-91-1)	
LC50 fish 1	> 10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 1	163 mg/l (Exposure time: 48 h - Species: water flea [Static])
LC50 fish 2	> 10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [semi-static])
NOEC (chronic)	1000 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	> 103 mg/l Test organisms (species): Pimephales promelas Duration: '32 d'
4-Methoxyphenol (150-76-5)	
LC50 fish 1	84.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	28.5 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
Acetaldehyde (75-07-0)	
LC50 fish 1	28.0 – 34.0 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Daphnia 1	3.64 – 6.15 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 fish 2	53 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 2	48.3 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Ethylene oxide (75-21-8)	
LOTO S.L.A	70 00 mm/l/Francours time 00 h Omerica Discontrate annual to

11/13/2023 EN (English US) 7/11

73 – 96 mg/l (Exposure time: 96 h - Species: Pimephales promelas)

137 – 300 mg/l (Exposure time: 48 h - Species: Daphnia magna)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 12.2. Persistence and degradability

No additional information available

## 12.3. Bioaccumulative potential

1,4-dioxane (123-91-1)	
BCF fish 1	0.2 – 0.7
Partition coefficient n-octanol/water (Log Pow)	-0.42
4-Methoxyphenol (150-76-5)	
Partition coefficient n-octanol/water (Log Pow)	1.3
Acetaldehyde (75-07-0)	
Partition coefficient n-octanol/water (Log Pow)	0.5
Ethylene oxide (75-21-8)	
Partition coefficient n-octanol/water (Log Pow)	-0.3 (at 25 °C)

## 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

## **SECTION 14: Transport information**

### **Department of Transportation (DOT)**

In accordance with DOT

Not applicable

## **Transportation of Dangerous Goods**

Not applicable

## Transport by sea

Not applicable

## Air transport

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. US Federal regulations

## 1,4-dioxane (123-91-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313 Listed on EPA Hazardous Air Pollutant (HAPS)

CERCLA RQ 100 lb

### 2-Hydroxyethyl methacrylate, purified (868-77-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

11/13/2023 EN (English US) 8/11

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3, 3,		
4-Methoxyphenol (150-76-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Acetaldehyde (75-07-0)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313 Listed on EPA Hazardous Air Pollutant (HAPS)		
CERCLA RQ	1000 lb	
Ethylene oxide (75-21-8)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313 Listed on EPA Hazardous Air Pollutant (HAPS)		
CERCLA RQ	10 lb	
RQ (Reportable quantity, section 304 of EPA's List of Lists)	10 lb	
Section 302 EPCRA Reportable Quantity (RQ)	10 lb	
SARA Section 302 Threshold Planning Quantity (TPQ)	1000 lb	
Formaldehyde (50-00-0)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313 Listed on EPA Hazardous Air Pollutant (HAPS)		
CERCLA RQ	100 lb	
RQ (Reportable quantity, section 304 of EPA's List of Lists)	100 lb	
SARA Section 302 Threshold Planning Quantity (TPQ)	500 lb	

## 15.2. International regulations

## CANADA

1,4-dioxane (123-91-1)		
Listed on the Canadian DSL (Domestic Substances List)		
2-Hydroxyethyl methacrylate, purified (868-77-9)		
Listed on the Canadian DSL (Domestic Substances List)		
4-Methoxyphenol (150-76-5)		
Listed on the Canadian DSL (Domestic Substances List)		
Acetaldehyde (75-07-0)		
Listed on the Canadian DSL (Domestic Substances List)		
Toxic Substance (CEPA – Schedule I)	Yes	
Ethylene oxide (75-21-8)		
Listed on the Canadian DSL (Domestic Substances List)		
Toxic Substance (CEPA – Schedule I)	Yes	
Formaldehyde (50-00-0)		
Listed on the Canadian DSL (Domestic Substances List)		

## **EU-Regulations**

4-Methoxyphenol (150-76-5)	
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)	
Ethylene oxide (75-21-8)	
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)	

## **National regulations**

1,4-dioxane (123-91-1)	
Listed on IARC (International Agency for Research on Cancer)	
Listed as carcinogen on NTP (National Toxicology Program)	

11/13/2023 EN (English US) 9/11

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 4-Methoxyphenol (150-76-5)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on CICR (Turkish Inventory and Control of Chemicals)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

#### Acetaldehyde (75-07-0)

Listed as carcinogen on NTP (National Toxicology Program)

#### Ethylene oxide (75-21-8)

Listed on IARC (International Agency for Research on Cancer)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Japanese Poisonous and Deleterious Substances Control Law

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed as carcinogen on NTP (National Toxicology Program)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on CICR (Turkish Inventory and Control of Chemicals)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

## Formaldehyde (50-00-0)

Listed on IARC (International Agency for Research on Cancer)

Listed as carcinogen on NTP (National Toxicology Program)

## 15.3. US State regulations



This product can expose you to Ethylene oxide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Component	State or local regulations
1,4-dioxane(123-91-1)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Acetaldehyde(75-07-0)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Ethylene oxide(75-21-8)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List; U.S Pennsylvania - RTK (Right to Know) - Special Hazardous Substances; U.S Pennsylvania - RTK (Right to Know) List
4-Methoxyphenol(150-76-5)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Formaldehyde(50-00-0)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

## **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

11/13/2023 EN (English US) 10/11

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids,

solids and semi solids having a flash point above 200 F. (Class IIIB)

Physical : 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high

temperatures and pressures. Materials may react non-violently with water or undergo hazardous

polymerization in the absence of inhibitors.

SDS US (GHS HazCom 2012)

POLYSCIENCES, INC. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. POLYSCIENCES, INC. makes no representations or warranties, either expressed or implied of merchantability, fitness for particular purposes with respect to the information set forth herein or to which the information refers. Accordingly, POLYSCIENCES, INC. will not be responsible for damages resulting from the use of or reliance upon this information.

11/13/2023 EN (English US) 11/11