

PolyGlass Coverslipping Medium Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 05/24/2021 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Trade name	: PolyGlass Coverslipping Medium
Product code	: 22253
1.2. Recommended use and restrictions	
Recommended use	: Use as laboratory reagent, Manufacture of substances
1.3. Supplier	
Supplier Polysciences 400 Valley Road Warrington, PA 18976 - United States T +1 215 343 6484 - F +1 215 343 0214 info@polysciences.com - www.polysciences.com	<u>om</u>
1.4. Emergency telephone number	
Emergency number	: 24-hour emergency phone number ChemTel 1-800-255-3924
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or m	lixture
GHS US classification	
Flammable liquids Category 3 Acute toxicity (oral) Category 4 Acute toxicity (dermal) Category 4 Acute toxicity (inhalation:vapor) Category 4	Flammable liquid and vapor Harmful if swallowed Harmful in contact with skin Harmful if inhaled
2.2. GHS Label elements, including prec	autionary statements
GHS US labeling Hazard pictograms (GHS US)	
Signal word (GHS US)	: Warning
Hazard statements (GHS US)	: Flammable liquid and vapor Harmful if swallowed, in contact with skin or if inhaled
Precautionary statements (GHS US)	 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.
2.3. Other hazards which do not result in	n classification
2.3. Other hazards which do not result in No additional information available	ו classification
	n classification
No additional information available	n classification
No additional information available 2.4. Unknown acute toxicity (GHS US) Not applicable	
No additional information available 2.4. Unknown acute toxicity (GHS US) Not applicable SECTION 3: Composition/Informatio	
No additional information available 2.4. Unknown acute toxicity (GHS US) Not applicable SECTION 3: Composition/Informatio 3.1. Substances	
No additional information available 2.4. Unknown acute toxicity (GHS US) Not applicable SECTION 3: Composition/Informatio	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS US classification
Toluene	(CAS-No.) 108-88-3	61 – 70	Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 Repr. 2, H361 STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304 Aquatic Acute 2, H401
DROMETRIZOLE	(CAS-No.) 2440-22-4	0 – 5	Skin Sens. 1B, H317 Aquatic Chronic 1, H410
4-Methoxyphenol	(CAS-No.) 150-76-5	≤ 5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 3, H402
Butyl benzyl phthalate	(CAS-No.) 85-68-7	0 – 5	Repr. 1B, H360 Aquatic Acute 1, H400 Aquatic Chronic 3, H412

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a poison center/doctor/physician if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.
First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion 4.2. Most important symptoms and effect	 Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Rinse eyes with water as a precaution. Rinse mouth. Call a poison center/doctor/physician if you feel unwell.
No additional information available	
4.3. Immediate medical attention and spectrum Treat symptomatically.	ecial treatment, if necessary
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguish	ing media
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Specific hazards arising from the ch	emical
Fire hazard	: Flammable liquid and vapor.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Special protective equipment and pr	recautions for fire-fighters
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective equ	uipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin, eyes and clothing. Avoid breathing dust/fume/gas/mist/vapors/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containme	nt and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
11/14/2023	EN (English US) 2/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other section	S
For further information refer to section	13.
SECTION 7: Handling and st	prage
7.1. Precautions for safe handl	ing
Precautions for safe handling	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapors/spray.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storag	e, including any incompatibilities
Technical measures	: Ground/bond container and receiving equipment.

Storage conditions	:	Store at room temp. Store in a well-ventilated place. Keep cool. Keep container tightly closed.
l echnical measures		Ground/bond container and receiving equipment.

SECTION 8: Exposure controls/personal protection

. Control parameters	
PolyGlass Coverslipping Medium	
No additional information available	
DROMETRIZOLE (2440-22-4)	
No additional information available	
4-Methoxyphenol (150-76-5)	
USA - ACGIH - Occupational Exposure Limits	
Local name	4-Methoxyphenol
ACGIH TWA (mg/m³)	5 mg/m³
Remark (ACGIH)	TLV® Basis: Eye irr; skin dam
Regulatory reference	ACGIH 2020
USA - NIOSH - Occupational Exposure Limits	
NIOSH REL (TWA) (mg/m ³)	5 mg/m ³
Butyl benzyl phthalate (85-68-7)	
No additional information available	
Toluene (108-88-3)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Toluene
ACGIH TWA (ppm)	20 ppm
Remark (ACGIH)	TLV® Basis: Visual impair; female repro; pregnancy loss. Notations: A4 (Not classifiable as a Human Carcinogen); BEI
Regulatory reference	ACGIH 2020
USA - OSHA - Occupational Exposure Limits	
Local name	Toluene
OSHA PEL (TWA) (ppm)	200 ppm
OSHA PEL C [ppm]	300 ppm
Acceptable maximum peak above the acceptable ceiling concentration for an 8-hr shift	500 ppm 10 mins.
Remark (OSHA)	(2) See Table Z-2.
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-2
USA - IDLH - Occupational Exposure Limits	
US IDLH (ppm)	500 ppm
USA - NIOSH - Occupational Exposure Limits	
NIOSH REL (TWA) (mg/m ³)	375 mg/m ³
NIOSH REL TWA [ppm]	100 ppm

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NIOSH REL STEL [ppm] 150 ppm 8.2. Appropriate engineering controls Appropriate engineering controls : Ensure good ventilation of the work station. Environmental exposure controls : Avoid release to the environment. 8.3. Individual protection measures/Personal protective equipment Hand protection: Image: Control in the image		
Appropriate engineering controls : Ensure good ventilation of the work station. Environmental exposure controls : Avoid release to the environment. 8.3. Individual protection measures/Personal protective equipment	NIOSH REL STEL [ppm]	150 ppm
Appropriate engineering controls : Ensure good ventilation of the work station. Environmental exposure controls : Avoid release to the environment. 8.3. Individual protection measures/Personal protective equipment		· · · · · · · · · · · · · · · · · · ·
Appropriate engineering controls : Ensure good ventilation of the work station. Environmental exposure controls : Avoid release to the environment. 8.3. Individual protection measures/Personal protective equipment		
Environmental exposure controls : Avoid release to the environment. 8.3. Individual protection measures/Personal protective equipment	3.2. Appropriate engineering controls	
8.3. Individual protection measures/Personal protective equipment	Appropriate engineering controls	: Ensure good ventilation of the work station.
8.3. Individual protection measures/Personal protective equipment	Environmental exposure controls	· Avoid release to the environment
Hand protection:	3.3. Individual protection measures/Perso	nal protective equipment
Hand protection:		
	Hand protection:	
Protective gloves	Protective gloves	

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical p	roperties
9.1. Information on basic physical and ch	emical properties
Physical state	: Liquid
Color	: Mixture contains one or more component(s) which have the following colour(s): Colorless clear
Odor	 There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odour: caramel phenolic model airplane glue
Odor threshold	: No data available
pH	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: 230 °F
Flash point	: 34 °F
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

9.2. Other information		
No additional information available		
SECTION 10: Stability and reactivity		
10.1. Reactivity		
Flammable liquid and vapor.		
10.2. Chemical stability		
Stable under normal conditions.		
10.3. Possibility of hazardous reactions		
No dangerous reactions known under normal condi	tions of use.	
10.4. Conditions to avoid		
Avoid contact with hot surfaces. Heat. No flames, n	o sparks. Eliminate all sources of ignition.	
10.5. Incompatible materials		
No additional information available		
10.6. Hazardous decomposition products		
	tous decomposition products should not be produced	
-	dous decomposition products should not be produced.	
SECTION 11: Toxicological information	n and a second se	
11.1. Information on toxicological effects		
Acute toxicity (oral)	: Harmful if swallowed.	
Acute toxicity (dermal)	: Harmful in contact with skin.	
Acute toxicity (inhalation)	: Harmful if inhaled.	
ATE US (oral)	500 mg/kg body weight	
ATE US (dermal)	1100 mg/kg body weight	
ATE US (vapors)	11 mg/l/4h	
4-Methoxyphenol (150-76-5) LD50 oral rat	1600 malles	
LD50 dermal rabbit	1600 mg/kg > 2000 mg/kg	
	> 2000 mg/kg	
Butyl benzyl phthalate (85-68-7)	0000 //	
LD50 oral rat	2330 mg/kg	
LD50 dermal rat LD50 dermal rabbit	6700 mg/kg	
LC50 Inhalation - Rat	 > 10000 mg/kg body weight Animal: rabbit > 6.7 mg/l/4h 	
Toluene (108-88-3)		
LD50 oral rat LD50 dermal rabbit	2600 mg/kg	
LC50 Inhalation - Rat	12000 mg/kg 12.5 mg/l/4h	
	: Not classified	
	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	. พบเพลงอิพิธน	
Butyl benzyl phthalate (85-68-7)		
IARC group	3 - Not classifiable	
National Toxicity Program (NTP) Status	Evidence of Carcinogenicity	
Toluene (108-88-3)		
IARC group	3 - Not classifiable	
	: Not classified	
STOT-single exposure	: Not classified	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Toluene (108-88-3)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
Toluene (108-88-3)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available

ECTION 12: Ecological information	
2.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
4-Methoxyphenol (150-76-5)	
LC50 fish 1	84.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	28.5 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
Butyl benzyl phthalate (85-68-7)	
LC50 fish 1	1.0 – 10.0 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	0.9 – 1.1 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 fish 2	0.82 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
EC50 Daphnia 2	> 0.76 mg/l (Exposure time: 48 h - Species: Daphnia magna [Flow through])
LOEC (chronic)	1.4 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	0.2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '124 d'
Toluene (108-88-3)	
NOEC chronic crustacea	0.74 mg/l

12.2. Persistence and degradability

No additional information available

4-Methoxyphenol (150-76-5)		
Partition coefficient n-octanol/water (Log Pow) 1.3		
Butyl benzyl phthalate (85-68-7)		
BCF fish 1	187.65	
Partition coefficient n-octanol/water (Log Pow)	3.57 – 4.91	

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations	
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Flammable vapors may accumulate in the container.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

Department of Transportation (DOT) In accordance with DOT	
Transport document description UN-No.(DOT) Proper Shipping Name (DOT) Class (DOT) Packing group (DOT) Hazard labels (DOT)	 : UN1294 Toluene, 3, II : UN1294 : Toluene : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120 : II - Medium Danger : 3 - Flammable liquid
DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Special Provisions (49 CFR 172.102)	 202 242 IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T4 - 2.65 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
Emergency Response Guide (ERG) Number Other information	130No supplementary information available.
Transportation of Dangerous Goods	
Not applicable	
Transport by sea	
Transport document description (IMDG) UN-No. (IMDG) Proper Shipping Name (IMDG) Class (IMDG) Packing group (IMDG) Limited quantities (IMDG)	 UN 1294 TOLUENE, 3, II (7°C c.c.) 1294 TOLUENE 3 - Flammable liquids II - substances presenting medium danger 1 L
Air transport	
Transport document description (IATA) UN-No. (IATA) Proper Shipping Name (IATA) Class (IATA) Packing group (IATA)	 UN 1294 Toluene, 3, II 1294 Toluene 3 - Flammable Liquids II - Medium danger

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ECTION 15: Regulatory information				
5.1. US Federal regulations				
4-Methoxyphenol (150-76-5)				
Listed on the United States TSCA (Toxic Substances Control Act) inventory				
Butyl benzyl phthalate (85-68-7)				
Listed on the United States TSCA (Toxic Substances Control Act) inventory				
CERCLA RQ	100 lb			
Toluene (108-88-3)				
Listed on the United States TSCA (Toxic Substar Subject to reporting requirements of United State Listed on EPA Hazardous Air Pollutant (HAPS)				
CERCLA RQ	1000 lb			

15.2. International regulations

CANADA

Listed on the Canadian DSL (Domestic Substances List)	
Butyl benzyl phthalate (85-68-7)	
Listed on the Canadian DSL (Domestic Substances List)	
Toluene (108-88-3)	
Listed on the Canadian DSL (Domestic Substances List)	

EU-Regulations

4-Methoxy	vphenol	(150-76-5)
- mounox	ypnener (

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Butyl benzyl phthalate (85-68-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on CICR (Turkish Inventory and Control of Chemicals) Listed on the TCSI (Taiwan Chemical Substance Inventory)
Butyl benzyl phthalate (85-68-7)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Japanese Pollutant Release and Transfer Register Law (PRTR Law) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on CICR (Turkish Inventory and Control of Chemicals) Listed on the TCSI (Taiwan Chemical Substance Inventory)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Butyl benzyl ph	thalate (85-68-7)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
No	Yes	No	No		1200 µg/day oral
Toluene (108-88-3)					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
No	Yes	No	No		7000 µg/day
Component		State or local regulations			
4-Methoxyphenol(150-76-5)		U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List			
Butyl benzyl phthalate(85-68-7)		U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List; U.S Pennsylvania - RTK (Right to Know) List			
Toluene(108-88-3)		U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List			

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SDS US (GHS HazCom 2012)

POLYSCIENCES, INC. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. POLYSCIENCES, INC. makes no representations or warranties, either expressed or implied of merchantability, fitness for particular purposes with respect to the information set forth herein or to which the information refers. Accordingly, POLYSCIENCES, INC. will not be responsible for damages resulting from the use of or reliance upon this information.