

Corporate Headquarters 400 Valley Road Warrington, PA 18976 1-800-523-2575 FAX 1-800-343-3291 Email: info@polysciences.com

www.polysciences.com

Europe - Germany Polysciences Europe GmbH Handelsstr. 3 D-69214 Eppelheim, Germany (49) 6221-765767 FAX (49) 6221-764620 Email: info@polysciences.de

TECHNICAL DATA SHEET 603

Page 1 of 1

CitraMount™ Medium

(for Non-Organic and Organic Solvents)

Catalog Number 24214

Background

CitraMount™ Medium allows a fast drying coverslip seal that is completely clear directly from any d-limonene based or other type clearant. Various formulas have been attempted to allow coverslipping directly from d-limonene based clearants with limited success. CitraMount™ Medium is very similar to DPX or Eukitt without the restrictions on use. The medium works equally well with xylene and non-aliphatic hydrocarbons. CitraMount™ Medium does not cause fading of stains used in Histology or Cytology. The refractive index is 1.42.

Coverslips can be removed by soaking in a d-limonene or any other clearant used as the final solution prior to coverslipping the slide. The d-limonene or oil based mixtures will require a longer time for removal of the coverslip than an organic solvent such as xylene. However, there will be no need to resort to xylene for removal of the coverslip with CitraMount[™] Medium.

CitraMount™ Medium is conveniently packaged for routine use in a 100ml dropper top plastic bottle or in 500ml bottles.

Procedure

After deparaffinizing and staining the slides, bring them up through a series of ascending alcohols to the final clearing steps in any clearant. Remove the slide and continue to coverslip as usual. The slide should be coverslipped by adding a small amount (one to three drops depending on the coverslip and tissue size) directly on the slide or coverslip and then applying the coverslip. A small amount of the CitraMount™ Medium and the remaining clearant may be present at the edges of the coverslip. Remove by gently tipping the slide first to one side then the other on a paper towel to blot or as your procedure requires. When dry the excess CitraMount™ Medium can be peeled off or removed with a clearant.

Ordering Information:

Cat. #	Description	Size
24214-100	CitraMount™Medium	100ml
24214-500	CitraMount™Medium	500ml

To Order:

In The U.S. Call: 1-800-523-2575 • 215-343-6484 In The U.S. FAX: 1-800-343-3291 • 215-343-0214

In Germany Call: (49) 6221-765767 In Germany FAX: (49) 6221-764620

Order online anytime at www.polysciences.com

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Should any of our materials fail to perform to our specifications, we will be pleased to provide replacements or return the purchase price. We solicit your inquiries concerning all needs for life sciences work. The information given in this bulletin is to the best of our knowledge accurate, but no warranty is expressed or implied. It is the user's responsibility to determine the suitability for his own use of the products described herein, and since conditions of use are beyond our control, we disclaim all liability with respect to the use of any material supplied by us. Nothing contained herein shall be construed as a recommendation to use any product or to practice any process in violation of any law or any government regulation.

© Polysciences, Inc. Active: 26/March/2007 Data Sheet #603

